

YARD & BARN SALE

4 GENERATIONS YARD & BARN SALE
Everything must go!
Date: Friday June 27 - Sunday June 29, 2025
Hours: 9am - 7:30pm
Location: 13861 Vischer Road, Brooklyn, MI 49230

- Modern + Antique Furniture - Bar Carts, Dressers, Benches, Tables, Coffee Table
- Workshop Drafting Tables
- NEW - Indoor/Outdoor Lighting + Decor
- Firepits & Patio Decor
- Craft Wood Scraps + Shop Tools
- Outdoor Power Equipment (STIHL & Craftsman)
- Designer Clothing M/W (S, M, L) New & Gently Worn
- M/W Shoes (7.5-8.5, 10) + Purses
- China, Silver + Table Linens
- KitchenAid Mixer + Utensils
- Vases + Pitchers

- Roasters, Pots & Pans
- New - Kitchen Cabinet Hardware
- Framed Art + Holiday Decor (Xmas Tree)
- Collectibles, Precious Moments
- WW2 Memorabilia
- Like-New Bicycles + Weights
- Multi-Interest Books + Encyclopedias
- Puzzles (500+ piece)
- Walker + Wheelchair
- Hunting + Outdoor Gear
- Beekeeping
- Sewing Equipment

Clothing Brands: Michael Kors, Anthropologie, Joie, SOREL, Frye, Arturo Chang, Corso Como & more

47x2

MOVING SALE

Moving Sale – 13287 Sharon Hollow Road, Manchester; Thursday, Friday, Saturday, from 10am-5pm; Everything must go!

47

HELP WANTED

Help wanted part-time bar tender with grilling/cooking experience. Pay is \$12.46 per hour with tips. Apply within. Irish Hills Eagle 9500 Wamplers Lake Road, Brooklyn. #38x8

WORK WANTED

Work Wanted: Concrete flat work, driveways, barns, patios, etc. Large or small accepted. Call 517 499-1869

tfn

Handyman

Retired carpenter offering handyman work and home improvement Call Mark 517-960-8184

25tf

HAULING/ODD JOBS

Scott's Dale Hauling tf

We get the job done! Hauling of all types.

Clean-up and clean out your unwanted items.

Garage, basement, homes, and yards. We also do odd jobs.

15% Senior Discount

Give us a call at 517-206-0883.

LAWN & GARDEN

Tractor Brush Hog mowing. Call Ed Bendele at 517-344-7937. 46T2

Tractor Brush Hog mowing. Call Ed Bendele at 517-344-7937. 46T2

Wilcox 1900s
Lawn & Landscape

The Lily Pad
Garden Center

Landscape • Lawn Care • Irrigation



DAIRY DOO

Now featuring

Organic Dairy Doo Compost, Organic Potting Soils, Granulated & Liquified Fertilizers, Soil Amendments & More!

3027 Blue Ridge Road • Clarklake MI 49234
Hours M-F 8-5 • Saturdays 9-2 • Closed Sundays • (517) 529-4550

HULBURT'S 35/tf

LAWN SERVICES

Sprinkler System Activation

Installation and Repairs

Mowing

Lawn Clean Up

Dock Installation

Office: 517-513-1669

Roger Hulburt 517-879-8716

Darren Hulburt 517-879-8137

Dedicated cat loving volunteers needed, 4 hours once a week, to provide quality care at our rescue. Complimentary purred! Call/text Lynn at 734-748-6251.



BUILDERS / CONTRACTORS / CONSTRUCTION

J. MASON

CONTRACTING

- Home additions
- Garages
- Pole Barns
- Finished Basements

- Design/Space Planning
- Insulated Concrete Form Foundations

Call Jon at 517-592-3001
jon@jmasoncontracting.com • www.jmasoncontracting.com
180 Wamplers Lake Rd. Brooklyn

13tf

Buzby Builders

A Luxury Home Building Company

BuzbyBuilders.com (517) 467-2717

28tf

New Homes & Additions

Columbia Cabinetry

Custom Cabinets • (517) 592-2292

M-R BUILDER INC.

NEW HOMES/ADDITIONS

COMMERCIAL/RESIDENTIAL

REMODELING

LAKE HOME SPECIALIST

PROJECT MANAGEMENT

DESIGN/BUILD

517-536-4300

LAWN & GARDEN

C.P.M.

Complete Property Maintenance

Loren Ebersole

(517) 416-1043

LAWN CARE
SNOW REMOVAL
LANDSCAPING
SPRING/ FALL CLEANINGS
CUSTOM BRUSH CUTTING
BRUSH HOGGING
TREE TRIMMING
BRUSH REMOVAL
STUMP REMOVAL
LAND CLEARING
SITE PREP
EXCAVATION
GRAVEL DRIVEWAYS
STORM CLEANUP
SEPTIC SYSTEMS
AND MORE!

11t4

Over 65 years of service

UNDERWOOD'S

Lawn Care • Tree Care • Nursery
Irrigation Systems • Landscaping

Structural Pest Control Managers

(517) 265-2481

4373 N. Adrian Hwy. (M-52)
www.underwoodsnursery.com
Call today for an estimate

7tf

LIBERTY TOWNSHIP

June 10, 2025 roll call of members: Smith, Jacobson, Hubbard, Garver, and Vincent. The following Synopsis of Liberty Township Regular Board meeting of items have motion and support; Approve agenda as presented, approve minutes of Regular Board meeting of May 13, 2025 as presented, approval of consensus agenda of departmental reports as presented. Payment of expenses in the amount of \$56,625.59 for May 2025 approved with a roll call. Approval of the Amendment to the 2024-2025 Budget. Approval of the 2025-2026 budget. Approval of remodel of back office, and accept resignation of Mark Fish as Building official and approval of Joe Web to be Building Official effective July 1, 2025 A complete set of minutes are available during regular office hours.

47

Debbie Jacobson,
Liberty Township Clerk

RICK A. SHORE

RESIDENTIAL DESIGN

- New Custom Homes
- Decks & Additions
- Remodels & Renovations

CONSTRUCTION SERVICES

- Kitchen & Baths
- Fine Finish Carpentry
- Decks
- Handyman Services

Free Initial Consultation
Phone (517) 206-6785 [call or text]
Email: rckshr0@gmail.com (0 = zero)

SINCE 1981

William J. Bendele Jr.

3517 Ocean Beach Rd.
Clarklake, MI 49234

P:517.592.5467
Bendeleconst@comcast.net

Bendele Construction
Clark Lake, MI
517-592-5467

Playing in dirt for over 50 years!

Excavating, Seawalls, Septic Systems,
Beach Sand, Top Soil & Hauling

tf

Schiel's Shovels 45tf

Septic & Drain Fields
Bulldozing • Back Hoe
Basements • Black Dirt
Gravel • Dump Truck
Fill • Hand Digging
RANDY SCHIEL
(517) 592-3470
996 Alameda Drive, Brooklyn

SPECTRUM BUILDING COMPANY

— CUSTOM HOMES —
RESIDENTIAL • REMODELING
& RENOVATIONS
spectrumbldg@frontiernet.net
(517) 206-7303

31tf

R.L. Baker 41tf

CONSTRUCTION • DESIGN/BUILD

Lakefront Renovation Specialist

517-592-4167
rlbakerconstruction@outlook.com

Visit our Web Site at www.rlbakerconstruction.com

Real Estate

RECOGNIZED. RESPECTED. RECOMMENDED.

"Here for all of your real estate needs!"





Larry Wetherby 517.206.2294

Debbie Crownover 517.262.3000

Sheila Cote 517.921.8651

Stoney Green 517.206.5522

RE/MAX Mid-Michigan

Each office independently owned and operated.

BROOKLYN OFFICE
517.592.0100
131 N MAIN ST. DOWNTOWN BROOKLYN
IN THE HEART OF THE IRISH HILLS!

GRAPHICS

Exponent

160 S. Main St.

NOTARY

Exponent

160 S. Main St.

Doug's Sudoku

UNIVERSAL
Sudoku Puzzle

				8			5	
		2	3			1		
9	7	5		6				
4			9			7		
	9			4			1	
		3			2			8
				3		8	6	7
		9			6	5		
1			7					

DIFFICULTY RATING: ★★★★★

6/15

© 2025 by Andrews McMeel Syndication

Complete the grid so every row, column and 3 x 3 box contains every digit from 1 to 9 inclusively.

Today's puzzle solution

2	8	6	7	1	9	9	1	8
1	7	9	9	2	8	6	8	1
1	9	8	6	8	1	7	2	9
8	6	7	2	9	1	8	9	1
9	1	8	8	7	9	1	6	2
9	2	1	8	1	6	8	9	7
8	8	2	1	9	7	9	1	6
7	1	9	6	8	2	8	9	
6	9	9	1	8	2	1	7	8

Crossword Time

Universal Crossword

Edited by David Steinberg June 15, 2025

ACROSS

- 1 "Can you explain yourself?"
10 "E pluribus unum," for the United States
15 Queen's style?
16 Cat figurine, say
17 Sausage used in Cajun cuisine
18 "Forever" item
19 Muscles worked by bench presses, for short
20 Strong material from a mill
22 Is dishonest
23 "Correct!"
24 Nitpicker
26 They have parts to play
30 Outmoded music storage systems
32 Loses fur
33 Naval Academy freshman
34 "Lah-di-____!"
35 "Truth be ____"
36 Geographic sphere
37 Sandal brand
38 Water cooler?
39 Brag
40 More ironic
41 "That's ridiculous!"
43 Protect

- 44 Texas ____ (poker variant)
45 Messy room
46 15-Across's Jon Bon ____
47 Air traffic control system
49 Ilhan of Congress
53 Word that becomes a synonym when "s" is added to the front
55 "Serial" subject
57 Like many shower walls
58 Instagram reel, e.g.
59 Mementos that can be physical or emotional
60 Torrents of laughter?

DOWN

- 1 Shawl, for one
2 Sharpen
3 Australian 15-Across band
4 Bout enders, for short
5 African herd member
6 Flowers that might have beards
7 Battery measures
8 Actress Fanning of Hulu's "The Great"
9 An insomniac amasses a big one

- 10 Rap battle combatants
11 The Sundance Kid, e.g.
12 Art authenticator's asset
13 Journey through the years?
14 "My bad!"
21 Not disturb
23 '25 and others
25 Fawn's mother
26 Sean of "Stranger Things"
27 Lover of the dark, perhaps?
28 Soap opera, in Sonora
29 Like this clue's number
30 "Not quite"
31 Jagged piece
33 Certain living room sets?
36 Lost cause

- 37 Prefix meaning "three"
39 Spot for roses or oysters
40 Child's frequent question
42 Deli tool
43 Part of an urban grid
45 ____ Arabia
46 "Cool your ____!" ("Calm down!")
48 Leaky faucet sound
49 Two-toned predator
50 What you may pour before or after cereal
51 French friend
52 49-Across and others: Abbr.
54 NFL scores
56 Where a soldier snoozes

PREVIOUS PUZZLE ANSWER

F	B	I		S	C	A	T		S	I	D	E	S
L	A	D		U	H	N	O		C	O	O	L	I
U	S	O		D	U	D	E		T	R	U	S	T
B	E	D		H	O	G		T	A	I		S	O
	C	O	O	K		I	H	O	P		I	N	N
S	O	T	R	U	E	B	E	S	T	I	E		
H	A	H	N		Y	E	P		N	O	R	M	S
E	T	A		H	E	X	A	G	O	N		O	P
	S	T	R	I	P		R	U	T		A	U	R
			A	P	A	R	T	M	E	N	T	S	I
	O	M	W		T	O	Y	S		E	V	E	N
R	O	A	D		C	A	L		A	S	S	E	T
O	H	Y	E	A	H	R	I	G	H	T		A	C
D	E	B	A	T	E		N	E	A	L		R	A
	D	E	L	L	S		E	L	S	E		S	R

© 2025 Andrews McMeel Universal
www.upuzzles.com

HEATING AND COOLING

All About
Heating & Cooling
SERVICE & INSTALLATION
RUUD RESIDENTIAL • COMMERCIAL
We Service All Makes & Models
New Construction • Air Conditioning and Furnace Replacements
Humidifiers • Air Cleaners • UV-Air Purification • Water Heaters
• On Demand Water Heating Cleanings •
Kevin DellaValle - Owner
517-431-3430
www.allaboutheatingandcooling.com

MECHANICAL EXTREMES LLC
HEATING • COOLING
• Serving Jackson, Lenawee & Hillsdale counties
• 30+ years Experience
• Residential and commercial
• Installation & 24 hour service
• Free Estimates
• MechanicalExtremes.com • 517-812-2484

Xcel
HEATING AND COOLING LLC
Small Company - Low prices
Brad Minton - Owner
Licensed & Insured
(517) 448-7371
(517) 673-0235 33tf

BROOKLYN
Plumbing, Heating & A/C, Inc.
In business since 1987
LENNOX
HOME COMFORT SYSTEMS
Innovation never felt so good.™
Service • Sales • Installation
(517) 529-9437
www.brooklynplumbingandheating.com
Free Estimates 2tf

ELECTRICAL SERVICES

• Quick
• Quality
• Affordable
APLUSELECTRICPRO.COM
517-529-0000
10 YEARS 2016
A+ ELECTRIC INC.
LICENSED • INSURED
Residential • Commercial • Industrial

6/15

Themeless Sunday 138 by Kyle Dolan

1	2	3	4	5	6	7	8	9		10	11	12	13	14
15										16				
17										18				
19						20				21		22		
					23					24		25		
26	27	28	29					30						31
32							33						34	
35							36						37	
38							39					40		
41				42						43				
										45				
46						47		48				49	50	51
53					54			55				56		
57								58						
59								60						

CARS WANTED

HW Towing – Licensed, buying junk cars and trucks, free pickup 7 days a week, pay in cash. Call 517-605-6388 or 734-223-5581. 41x6

CASH FOR OLD CARS
Corvettes - Hot Rods
Any Year/Any Condition
517-250-2200 tf

MOTO 1 CYCLE

Moto 1 cycle & ATV – Great prices, great service! 9934 W. U.S. 223, Rome Center. 517-467-9311 www.moto1cycle.com

TIMBER WANTED
Specialize in walnut trees
517-296-4601 12x52

SEAWALLS

SEAWALLS

Rock seawalls, Rock retaining walls, steel repairs, site work, landscaping, drain pipe. Rappeye Construction 517 262-2766 45tf

SEAWALLS

Rock, steel repairs, retaining walls, site work, grading, driveways. Call Crosslake Construction. (517) 937-6979 tf

SEAWALLS. Get your permit now for spring construction. Free minor EGLE permits, steel, boulder, vinyl, walk, boat ramps, dredging. Call Shoreline Restoration Services at 517-796-0645 32tf

Nice hats!



The Exponent 160 S. Main St. Brooklyn MI 49230 • 517 592-2122

NORVELL TOWNSHIP

300 Mill Road

Brooklyn, MI 49230

(517)-536-4370

Fax (517)-536-0110

47

Synopsis of Regular Meeting-May 14, 2025

Present:
William Sutherland, Supervisor, Dan Goerke, Clerk, Deserre Sauers, Treasurer, Andrew Haystead, Trustee, Paul Francis, Trustee, Norvell Township, Jackson County

The Regular Meeting of the Norvell Township Board was called to order by Supervisor Bill Sutherland at 6:00 p.m. followed by the Pledge of Allegiance.

Items Approved:

Agenda
April 9, 2025 Regular Meeting minutes
April 22, 2025 Special Meeting minutes
Consent Agenda
Payment of Bills
Resolution 2025-05 Cemetery Fees
Michigan Township Planning Assoc. Fees
Gravel for Cemetery Driveways
Hiring of New Permit Administrator/Administrative Assistant
3RD Quarter Budget Amendments
Approval of MTTP Grant

Adjournment at 6:57 p.m.

Dan Goerke,
Township Clerk

Minutes approved at the June 11, 2025 Regular Meeting

LIBERTY TOWNSHIP

46x2

Notice is hereby given that on Wednesday, July 2, 2025, at 7:00 pm, the Liberty Township Planning Commission will hear a request from Admir Mesanovic, UTS Equipment Company/United Truck Sales, 22650 Stevenson St., Clinton Township, MI 48035 regarding 9510 S. Meridian Rd., parcel number 000-18-13-276-001-07 for a conditional use permit for the purpose of operating a vehicle-trailer sales dealership. He is applying for a Class A dealer license with the State of Michigan which requires a signature from the zoning authority. The meeting will be held at the Liberty Township Hall, 101 W. Liberty Rd., Clarklake, MI.

Debbie Jacobson,
Liberty Township Clerk

LIBERTY TOWNSHIP

46x2

Notice is hereby given that on Wednesday, July 2, 2025, at 7:00 pm, the Liberty Township Planning Commission will hold a public hearing regarding the proposed ordinance for commercial wind and solar installations:
Ordinance 2025-001

Commercial Scale Wind and Solar Installation

Liberty Township will not permit the installation of commercial scale wind and/or solar facilities. Such facilities may be allowed on property zoned industrial at the time this ordinance is adopted. Such facilities may be allowed on or over paved parking lots that existed at the time this ordinance is adopted. Individual property owners may install wind and/or solar facilities on their own property for their own use subject to appropriate permitting and inspections and provided the installations do not interfere with the adjoining properties (for example noise, flicker or reflections).

The meeting will be held at the Liberty Township Hall, 101 W. Liberty Rd., Clarklake, MI. Debbie Jacobson, Liberty Township Clerk.

WATERLOO TOWNSHIP

47

NOTICE

The Waterloo Township Parks and Recreation Committee will hold a public hearing August 12, 2025 at 9:00 a.m. in the Township Hall Meeting Room at 9773 Mount Hope Road.

At this time all interested parties will be heard on the proposed 2025 - 2029 Waterloo Township Recreation Plan. A Public Comment Period will be from June 23, 2025 to July 28, 2025.

The Plan may be viewed on the Township's website at www.waterlootwpmi.gov or at the Township Office at 9773 Mount Hope Road. Waterloo Township Office is open Monday, Tuesday, and Thursday from 9:00 a.m. to 1:00 p.m., and Wednesdays from 1:00 p.m. to 5:00p.m., during which time the Recreation Plan may be examined. Written comments regarding the above may be directed to the Township, or by calling (517) 596-8300. Waterloo Township will provide any necessary or reasonable auxiliary aids at the meeting for persons with disabilities, upon ten (10) days written notice to the Township, 9773 Mount Hope Road, Munith, MI 49259.

Bill Richardson
Waterloo Township Clerk

PUBLIC AUCTIONS

PARKY ESTATE AUCTION



Pocket & Wrist Watches incl. 14K Gold, Sterling, etc. * Jewelry & Coins * Gem & Mineral Collection incl. Fluorite, Emerald, Jasper, Quartz, Citrine, Topaz, Crystals, etc. Large Assortment of Ammunition incl. 22, 12GA, 9MM, 40 S&W, 38 SPL, 44 REM MAG, 45 AUTO, 223, 7.62, etc. * Hunting & Fishing Related incl. Knives, Cross Bows, New Water Waders, etc. Camera Equipment incl. Canon EOS R5 & Rebel Cameras, Lenses, etc. * RC Plane & Drone Related * Vintage Toy Collection incl. GI Joe Mobile Support Vehicle w/ Box * Large Collection of Toy Die Cast Cars * Lionel Train Collection * Records * Advertising & Collectibles incl. Coca Cola, Pepsi, Canada Dry, etc. * Items of Interest * & Much More!

Thursday June 19th @ 10AM

5121 E. Michigan Ave., Tipton, MI

Questions? 734.368.1736 * 734.368.1733
Details: BraunandHelmer.com

Braun and Helmer Auction Service Inc.



ROME TOWNSHIP

47

ROME TOWNSHIP

NOTICE OF ADOPTION OF ORDINANCES

TAKE NOTICE that at a public meeting on June 12, 2025, the Township Board of Rome Township, Lenawee County, Michigan, adopted two (2) ordinances: Ordinance No. 2025-06-01, An Ordinance to Amend the Zoning Ordinance to Regulate Utility-Scale Battery Energy Storage Systems, and Ordinance No. 2025-06-02, An Ordinance to Amend the Zoning Ordinance to Regulate Solar Energy Systems. The Ordinances are available for inspection at the Township's website, http://www.rometownship.org, or in person at the Township Hall, 9344 Forrister Road, Adrian, MI 49221, by appointment. Please contact the Township Clerk, Robin Robertson, at (517) 605-5163 to make an appointment. Copies may be obtained for a reasonable charge. The Ordinances take effect seven (7) days after this publication as provided by law. Summaries of the Ordinances follow.

SUMMARY OF ORDINANCE NO. 2025-06-01

Section 1. New Section 11.93 Utility-Scale Battery Energy Storage Facilities. Section 1 adds a new Section 11.93 Utility-Scale Battery Energy Storage Facilities to the Zoning Ordinance, which regulates the use of land for utility-scale battery energy storage facilities.

Section 2. New Article 17 Renewable Energy Overlay District. Section 2 addas a new Article 17 Renewable Energy Overlay District to the Zoning Ordinance. The Overlay District includes the following parcels:

4000 Townline Hwy Blk; RM0-113-2805-00
4000 Gilbert Hwy Blk; RM0-113-1100-00
5000 Gilbert Hwy Blk; RM0-111-4855-00
8000 Woerner Rd Blk; RM0-111-3800-00
5692 Springville Hwy; RM0-111-1600-00
5692 Springville Hwy; RM0-100-2800-00
9000 Shepherd Rd; RM0-100-2175-00

Section 3. Validity and Severability. Section 3 makes the provisions of Ordinance No. 2025-06-01 severable.

Section 4. Repealer. Section 4 repeals all other ordinances inconsistent with the provisions of Ordinance No. 2025-06-01 to the extent necessary to give Ordinance No. 2025-06-01 full force and effect.

Section 5. Effective Date. Section 5 makes Ordinance No. 2025-06-01 effective 7 days after its publication.

SUMMARY OF ORDINANCE NO. 2025-06-02

Section 1. Definitions. Section 1 adds definitions to Article 15 of the Zoning Ordinance.

Section 2. New Section 11.92 Solar Energy Systems. Section 2 adds a New Section 11.92 Solar Energy Systems to the Zoning Ordinance, which regulates the use of land for private and commercial solar energy systems.

Section 3. Validity and Severability. Section 3 makes the provisions of Ordinance No. 2025-06-02 severable.

Section 4. Repealer. Section 4 repeals all other ordinances inconsistent with the provisions of Ordinance No. 2025-06-02 to the extent necessary to give Ordinance No. 2025-06-02 full force and effect.

Section 5. Effective Date. Section 5 makes Ordinance No. 2025-06-02 effective 7 days after its publication.

89765:00001:201570998-3

NAPOLEON TOWNSHIP

47

ZBA Meeting

The Napoleon Township Zoning Board of Appeals will hold a public hearing July 9th, 2025 at 6 pm. at the Township Hall 6755 Brooklyn Rd, Napoleon, MI 49261. At this time all interested parties will be heard on the request of Justin Mitchell of 7137 Foxmoore Court, Jackson MI 49201 to build an addition onto an existing pole barn. Addition will increase the maximum square footage permitted for accessory structures in this zoning district and be closer to the side lot line than permitted by ordinance. The property and request are more particularly described and on exhibit at the Township Office.

Napoleon Township Offices are open Monday thru Thursday from 7:00 am to 5:00 pm during which time the Zoning Ordinance/Zoning Map may be examined. Written comments regarding the above, may be directed to the Township, or by calling (517) 536-8694 extension 209.

Napoleon Township will provide any necessary or reasonable auxiliary aids at the meeting for persons with disabilities, upon ten (10) days written notice to the Township.

John Worden,
Zoning Administrator

GRASS LAKE CHARTER TOWNSHIP

47

SYNOPSIS OF REGULAR MEETING MINUTES

GRASS LAKE CHARTER TOWNSHIP BOARD

UNAPPROVED

June 10, 2025

Meeting called to order at 6:30 p.m. By Supervisor Lesinski at the Grass Lake Charter Township Meeting Room. Present: Bray, Loveland, Wyant, Harris and Lesinski. Rentfrow and Bednarski-Lynch arrived at 6:34 p.m. Absent: None.

Items approved:
1. Agenda
2. Amend May 27, 2025 Minutes
3. Consent Agenda Items
4. Monthly Bills for General and Fire-including Payroll
5. Install New Phone System
6. Spend \$1,800 to Survey Park Wetlands
7. Approve Fireworks Application
8. Spend \$1,000 for Security at Traffic Jamin
9.Hire Treasurer's Office Assistant

Meeting adjourned at 7:59 pm.

Prepared by Clerk Harris.
Approved by Supervisor Lesinski.

Copies of unapproved meeting minutes will be posted on the Township Front Door window and Township Website - www.grasslakect.com within seven days of the meeting and are also available upon request at the Township Office. Office hours are 8:00 to 4:30 Monday thru Thursday. Email requests to gailh@grasslakect.com. Approved Minutes can be requested from the Township Office and reviewed on the Township Website – www.grasslakect.com.

Leoni Township Water System 2024 Water Quality Report

Water Supply Serial Number: 03837

This report covers the drinking water quality for Leoni Township for the 2024 calendar year. This information is a snapshot of the quality of the water that we provided to you in 2024. Included are details about where your water comes from, what it contains, and how it compares to United States Environmental Protection Agency (U.S.EPA) and state standards.

General Information

Leoni Township is committed to providing our customers with quality drinking water on tap. Leoni Township water meets state and federal standards for both appearance and safety. This annual “Consumer Confidence Report” required by the Safe Drinking Water Act informs you where your water comes from and what tests show about the quality of the water you are drinking. If you have any questions, concerns, or would like copies of this report of the Source Water Assessment, please contact Township Hall at (517) 936-2295. We invite public participation in decisions that affect drinking water quality. The Leoni Township Board meets at 6:00 p.m. on the 2nd Tuesday of each month at the Leoni Township Hall. Please feel free to attend the meeting, or call (517) 936-2300 for meeting agenda information.

Leoni Township Water Source

Leoni Township's water supply comes from the Marshall Sandstone Formation Aquifer via two different well fields located in Leoni Township. The water from each well is pumped to a one-million-gallon storage tank. Leoni Township passed a resolution to participate in the Jackson County Wellhead Protection Program to help protect our drinking water sources well into the future. The State of Michigan performed an assessment of Leoni Township's source water to determine the susceptibility or the relative potential of contamination. The susceptibility ratings are on a seven-tiered scale from “very low” to “high” based primarily on geological sensitivity, water chemistry, and possible contaminate sources. The susceptibility of our ground water wells is moderately high.

Contaminants and their presence in water:

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (800-426-4791).

Vulnerability of sub-populations:

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune systems disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Center for Disease Control guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Sources of drinking water:

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. Our water comes from wells. As water travels over the surface of the land through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

- Pesticides and herbicides, which may come from a variety of sources such as agriculture and residential uses.

- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems

In order to ensure that tap water is safe to drink, the U.S. EPA prescribes regulations that limit the levels of certain contaminants in water provided by public water systems. Federal Food and Drug Administration regulations establish limits for contaminants in bottled water which provide the same protection for public health.

Monitoring and Reporting to the Michigan Department of Environment, Great Lakes, and Energy (EGLE,) (formerly Michigan Department of Environmental Quality (MDEQ)) Requirements: The State of Michigan and the U.S. EPA require us to test our water on a regular basis to ensure its safety. We met all the monitoring and reporting requirements for 2024. We will update this report annually and will keep you informed of any problems that may occur through out the year, as they happen. Copies are available at Leoni Township Hall. This report will not be sent to you.

For more information about your water, or the contents of this report, contact the Leoni Township DPW at 517.522.8445. For more information about safe drinking water, visit the U.S. EPA at <http://www.epa.gov/safewater/lead>.

Service Lines

Leoni Township has zero (0) known lead service lines and zero (0) service lines of unknown material out of a total of 757 service lines.

Information about lead:

Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breast fed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing. The Leoni Township water system is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead alone point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized requiring replacement service line, you may need to flush your pipes for at least 5 minutes to flush water from both your home plumbing and the lead service line. If you are concerned about lead in your water and wish to have your water tested, contact the Leoni Township water department at 517-936-2295 or Ken Baker (OIC) at 517-522-8445 for available resources. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <https://www.epa.gov/safewater/lead>.

Water Quality Data

The table below lists all the drinking water contaminants that we detected during the 2024 calendar year. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done January 1, 2024, through December 31, 2024. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. All the data is representative of the water quality, but some are more than one year old.

Terms and abbreviations used below.

- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

- **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in

drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

- **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- **Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

- **Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

- **N/A:** Not applicable

- **ND:** not detectable at testing limit

- **ppm:** parts per million or milligrams per liter

- **ppb:** parts per billion or micrograms per liter

- **ppt:** parts per trillion or nanograms per liter

- **pCi/l:** picocuries per liter (a measure of radioactivity)

INORGANIC CONTAMINANTS – PLANT TAP							
Regulated Contaminant	MCL, TT, or MRDL	MCLG or MRDLG	Level Detected	Range	Year Sampled	Violation Yes/No	Typical Source of Contaminant
Arsenic (ppb)	10	0	4.0	2.0 - 4.0	2020	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.
Fluoride (ppm)	4	4	0.355	0.34 - 0.37	2024	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Hardness ¹ (ppm)	N/A	N/A	230	226 - 234	2024	No	Erosion of natural deposits
Sodium ¹ (ppm)	N/A	N/A	44	39 - 49	2024	No	Erosion of natural deposits
Combined radium (pCi/L)	5	0	1.56	1.56	2022	No	Erosion of natural deposits

DISINFECTANTS AND DISINFECTION BY-PRODUCTS – DISTRIBUTION SYSTEM							
Regulated Contaminant	MCL, TT, or MRDL	MCLG or MRDLG	Level Detected	Range	Year Sampled	Violation Yes/No	Typical Source of Contaminant
THM Total Trihalomethanes (ppb)	80	N/A	20.8	20.8	2024	No	Byproduct of drinking water disinfection
Chlorine ² (ppm)	4	4	0.65	0.09 - 2.20	2024	No	Water additive used to control microbes

MICROBIAL MONITORING – DISTRIBUTION SYSTEM							
Total Coliform (total number or 1 of positive samples/month)	TT	0	0	N/A	2024	No	Naturally present in the environment
<i>E. coli</i> in the distribution system (positive samples)	See <i>E. coli</i> note ³	0	0	N/A	2024	No	Human and animal fecal waste
Fecal Indicator – <i>E. coli</i> at the source (positive samples)	TT	0	0	N/A	2024	No	Human and animal fecal waste

LEAD AND COPPER – DISTRIBUTION SYSTEM								
Inorganic Contaminant	Sublected to Action Levels (AL)	Action Level	MCLG	Your Water ⁴	Range of Results	Year Sampled	Number of Samples Above AL	Typical Source of Contaminant
Lead (ppb)		15	0	2.0	0 – 4.0	2022	No	Lead service lines, corrosion of household plumbing including fittings and fixtures; Erosion of natural deposits
Copper (ppm)		1.3	1.3	0.1	0 – 0.14	2022	No	Corrosion of household plumbing systems; Erosion of natural deposits

- 1 Sodium and Hardness are not regulated contaminants.
- 2 The chlorine “Level Detected” was calculated using a running annual average.
- 3 *E. coli* MCL violation occurs if: (1) routine and repeat samples are total coliform-positive and either is *E. coli*-positive, or (2) the supply fails to take all required repeat samples following *E. coli*-positive routine sample, or (3) the supply fails to analyze total coliform-positive repeat sample for *E. coli*.
- 4 Ninety (90) percent of the samples collected were at or below the level reported for our water.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

This notice will not be mailed to each customer but will be available at the Township office 115 Fifth Street Michigan center, Michigan and it will be posted on the township website.

Columbia police report

June 5
Property security: Hyde Road (2); **Alarm:** Hawthorne Drive; **General non-criminal:** North Lake Road; Jefferson Road (2); School Street (2); Hewitt Road; **Personal welfare check:** Holiday Drive; **Motorist assist:** Hayes Road/Jefferson Road; **Accident:** South Main Street/Randolph Street; **Assist other agency:** Wamplers Lake Road, Norvell Township; **Domestic:** Eagle Point Drive

June 6
Assist other agency (welfare check): Cranberry Lake Road, Napoleon Township; **Personal welfare check:** Constitution Avenue; M-50/Daugherty Road; Monroe Pike; **Property security:** Hyde Road (2); **General non-criminal:** School Street (2); Hewitt Road (2); North Lake Road; Tiffany Street; Michigan Street; **Peace officer:** South Main Street, Woodstock Township; **Accident:** North Main Street; **Fraud:** Somerset

Drive; South Main Street; **Larceny:** Brooklyn Road

June 7
Property security: Hewitt Road; Hyde Road (2); **Inspect vehicle:** Bedford Drive (2); **General non-criminal:** Woodstock Street, Woodstock Township; **Animal complaint:** Paula Drive; **Larceny:** South Main Street; **Loud music:** White Road; **Assist other agency – Larceny:** Parkway Street, Summit Township

June 8
Property security: Hyde Road (2); **Alarm:** Brooklyn Road; **Accident:** Wamplers Lake Road/Oakwood Beach Drive; Brooklyn Road/Daugherty Road; Hyde Road/Reed Road; **Assist other agency – disorderly:** Country View Boulevard, Napoleon Township; **Personal welfare check:** Daugherty Road; **Domestic:** School Street

June 9
Property security: Hyde Road (2); **Personal wel-**

fare check: South Main Street; **Traffic hazard:** Crego Road/York Road; **Warrants:** White Road

June 10
Personal welfare check: South Main Street; **General non-criminal:** Southern Shores Drive; South Main Street; Ivanhoe Drive; East Mill Pond Drive; **Accident:** Wamplers Lake Road/Monroe Pike; Case Road/Antcliff Road; **Property security:** Hyde Road (2); **New call:** Hyde Road

June 11
General non-criminal: South King Street; Jefferson Road; Virginia Court; Michigan Street; Hyde Road (2); Ocean Beach Road; North Main Street; **Property security:** Hyde Road (2); **Accident:** Hayes Drive/Jefferson Road; **Personal welfare check:** North Main Street; Boyce Drive; **Assist other agency – traffic crash:** South Meridian Road/Reed Road, Liberty Township; **Found property:** Jefferson Road; **Disorderly:** White Road.